

Web Images Maps News Shopping Gmail more »

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

"variable gain amplifier" "peaking amplifier"

Search

Web Results 1 - 10 of about 113 for "variable gain amplifier" "peaking amplifier". (0.28 seconds)

### High speed multi-mode receiver invention

The data receiver as claimed in claim 7, wherein the automatic gain control unit includes a variable gain amplifier and a peaking amplifier, such that in a ...  
[www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?type=claims](http://www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?type=claims) - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

### Amplifiers inventions 200607

20060164162 - Low noise variable gain amplifier: The present invention provides ... microwave amplifier having a main amplifier and a peaking amplifier, ...  
[www.freshpatents.com/Amplifiers-dt200607ntc330.php](http://www.freshpatents.com/Amplifiers-dt200607ntc330.php) - 40k - [Cached](#) - [Similar pages](#) - [Note this](#)  
 More results from [www.freshpatents.com](http://www.freshpatents.com) »

### Doherty amplifier configuration for a collector controlled power ...

Variable gain amplifier having n parallel-connected elementary amplifiers ... variable supply voltage and a peaking amplifier connected in parallel with the ...  
[www.patentstorm.us/patents/7336127-claims.html](http://www.patentstorm.us/patents/7336127-claims.html) - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

### Doherty amplifier configuration for a collector controlled power ...

Variable gain amplifier having n parallel-connected elementary amplifiers ... the peaking amplifier is controlled using a second variable supply voltage. ...  
[www.patentstorm.us/patents/7336127.html](http://www.patentstorm.us/patents/7336127.html) - 24k - [Cached](#) - [Similar pages](#) - [Note this](#)  
 More results from [www.patentstorm.us](http://www.patentstorm.us) ...

### Patents in Class 330/278

A variable gain amplifier uses a geometric ladder circuit that produces ... A Doherty microwave amplifier having a main amplifier and a peaking amplifier, ...  
[www.freepatentsonline.com/CCL-330-278.html](http://www.freepatentsonline.com/CCL-330-278.html) - 76k - [Cached](#) - [Similar pages](#) - [Note this](#)

### Patents in Class 330/124R

A transmitter includes a first variable gain amplifier (VGA) and a second ... A Doherty microwave amplifier having a main amplifier and a peaking amplifier, ...  
[www.freepatentsonline.com/CCL-330-124R.html](http://www.freepatentsonline.com/CCL-330-124R.html) - 76k - [Cached](#) - [Similar pages](#) - [Note this](#)  
 More results from [www.freepatentsonline.com](http://www.freepatentsonline.com) ...

### ISSCC 2005 / SESSION 3 / BACKPLANE TRANSCEIVERS / 3.2

The receiver features a variable-gain amplifier (VGA), DFE, and ... The VGA drives a second-stage peaking amplifier that is used to ...  
[ieeexplore.ieee.org/iel5/9995/32118/01493869.pdf](http://ieeexplore.ieee.org/iel5/9995/32118/01493869.pdf) - [Similar pages](#) - [Note this](#)

### Variable gain amplifier - Patent # 7250814 - PatentGenius

A method of varying the gain of an amplifier and an amplifier array are provided. The amplifier array includes two or more amplifier stages (201, ...  
[www.patentgenius.com/patent/7250814.html](http://www.patentgenius.com/patent/7250814.html) - 51k - [Cached](#) - [Similar pages](#) - [Note this](#)

### CAT.INIST

The receiver features a variable-gain amplifier (VGA) with gain ranging from -6 to +10 dB in ~1 dB steps, an analog peaking amplifier, and a continuously ...  
[cat.inist.fr/?aModele=afficheN&cpsidt=17306618](http://cat.inist.fr/?aModele=afficheN&cpsidt=17306618) - [Similar pages](#) - [Note this](#)

[PDF] A Novel Envelope Following Power Amplifier with Power Tracking ...

File Format: PDF/Adobe Acrobat - View as HTML

peaking amplifier is adjusted to follow the dynamic envelope of CDMA signal ..... of peaking PA's gate bias, we designed a base band variable gain amplifier ...

<http://www.google.com/search?sourceid=navclient&ie=UTF-8&rls=GGLD,GGLD:2004-30,...> 3/24/08

[www.samsung.com/.../SocialCommitment/](http://www.samsung.com/.../SocialCommitment/)

[HumantechThesis/WinningPapers/downloads/work10/h21.pdf](#) - Similar pages - [Note this](#)

1 2 3 4 **Next**

---

"variable gain amplifier" "peaking amplifier"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Web Images Maps News Shopping Gmail more

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

"variable gain amplifier" "peaking amplifier" equalization

Search

Web Results 1 - 10 of 10 for "variable gain amplifier" "peaking amplifier" equalization. (0.09 seconds)

### High speed multi-mode receiver invention

The data receiver as claimed in claim 7, wherein the automatic gain control unit includes a variable gain amplifier and a peaking amplifier, such that in a ...  
[www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?type=claims](http://www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?type=claims) - 25k - Cached - Similar pages - Note this

### High speed multi-mode receiver invention

[0014] The receiver complex 10 does not include a receiver equalization unit such as a ... unit including a variable gain amplifier and a peaking amplifier. ...  
[www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?type=description](http://www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?type=description) - 68k - Cached - Similar pages - Note this

### ISSCC 2005 / SESSION 3 / BACKPLANE TRANSCEIVERS / 3.2

The receiver features a variable-gain amplifier (VGA), DFE, and ... The VGA drives a second-stage peaking amplifier that is used to ...  
[ieeexplore.ieee.org/iel5/9995/32118/01493869.pdf](http://ieeexplore.ieee.org/iel5/9995/32118/01493869.pdf) - Similar pages - Note this

### Welcome to IEEE Xplore 2.0: A 6.4-Gb/s CMOS SerDes core with feed ...

The receiver features a variable-gain amplifier (VGA) with gain ranging from -6to +10dB in /spl sim/1dB steps, an analog peaking amplifier, ...  
[ieeexplore.ieee.org/xpls/abs\\_all.jsp?arnumber=1546239](http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=1546239) - Similar pages - Note this  
[More results from ieeexplore.ieee.org »](#)

### CAT.INIST

The receiver features a variable-gain amplifier (VGA) with gain ranging from -6 to +10 dB in ~1 dB steps, an analog peaking amplifier, and a continuously ...  
[cat.inist.fr/?aModele=afficheN&cpsidt=17306516](http://cat.inist.fr/?aModele=afficheN&cpsidt=17306516) - Similar pages - Note this

### Patents in Class 330

A variable gain amplifier stage has first and second input terminals for receiving ... and a peaking amplifier, which are coupled in parallel to each other, ...  
[www.freepatentsonline.com/CCL-330-0-p71.html](http://www.freepatentsonline.com/CCL-330-0-p71.html) - 78k - Cached - Similar pages - Note this

### High Speed Multi-Mode Receiver - Patent 20060067440

The receiver is further operable to perform adaptive equalization to ... gain control unit includes a variable gain amplifier and a peaking amplifier, ...  
[www.freepatentsonline.com/y2006/0067440.html](http://www.freepatentsonline.com/y2006/0067440.html) - 74k - Cached - Similar pages - Note this  
[More results from www.freepatentsonline.com »](#)

### Peaking control for wideband laser driver applications - US Patent ...

Variable gain amplifier Issued on: December 19, 2000 ... The peaking amplifier circuit 112 may have a first input that may receive the signal IN0 through ...  
[www.patentstorm.us/patents/6750717-description.html](http://www.patentstorm.us/patents/6750717-description.html) - 38k - Cached - Similar pages - Note this

### [PDF] ISSCC.ORG

File Format: PDF/Adobe Acrobat

2-tap VGA and peaking amplifier [3.2], and direct feedback of 1. st. tap [3.5] in receiver to cancel ISI. • Adaptation of equalizer coefficients to channel ...  
[www.isscc.org/isscc/2005/press/ISSCC2005PressKit.pdf](http://www.isscc.org/isscc/2005/press/ISSCC2005PressKit.pdf) - Similar pages - Note this

### [PDF] ISSCC.ORG

File Format: PDF/Adobe Acrobat - View as HTML

o SerDes with equalization enable backplane links at 6.4Gb/s (Session 3) ... o 6.25Gb/s

<http://www.google.com/search?q=%22variable+gain+amplifier%22+%22peaking+amplifier...> 3/24/08

Binary Adaptive Decision-Feedback Equalizer with First Post-Cursor ...

128 100 10.145/isscc/2005/press/ISSCC2005PressKit.pdf - Similar pages - Note this

*In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

---

"variable gain amplifier" "peaking amplifier" equalization

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Web Images Maps News Shopping Gmail more

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

"variable gain amplifier" "peaking amplifier" equalization pre-distortion

Search

Web Results 1 - 6 of 6 for "variable gain amplifier" "peaking amplifier" equalization pre-distortion. (0.22 sec)

Did you mean: "variable gain amplifier" "peaking amplifier" equalization *predistortion*

### High speed multi-mode receiver invention

The data receiver as claimed in claim 7, wherein the automatic gain control unit includes a variable gain amplifier and a peaking amplifier, such that in a ...  
www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?  
type=claims - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

### High speed multi-mode receiver invention

[0014] The receiver complex 10 does not include a receiver equalization unit such as a ... unit including a variable gain amplifier and a peaking amplifier. ...  
www.freshpatents.com/High-speed-multi-mode-receiver-dt20060330ptan20060067440.php?  
type=description - 68k - [Cached](#) - [Similar pages](#) - [Note this](#)

### Peaking control for wideband laser driver applications - US Patent ...

The pre-distortion may be implemented by a pre-emphasis or peaking function .... The peaking amplifier circuit 112 may have a first input that may receive ...  
www.patentstorm.us/patents/6750717-description.html - 38k - [Cached](#) - [Similar pages](#) - [Note this](#)

### Peaking control for wideband laser driver applications - Patent ...

The pre-distortion may be implemented by a pre-emphasis or peaking function which .... The peaking amplifier 112 may also receive a control signal (e.g., ...  
www.freepatentsonline.com/6480067.html - 47k - [Cached](#) - [Similar pages](#) - [Note this](#)

### Patents in Class 330

3526, 6617926, Tail current node equalization for a variable offset amplifier ... 3537, 6614854, System and method for adaptive predistortion ...  
www.freepatentsonline.com/CCL-330-p71.html - 76k - [Cached](#) - [Similar pages](#) - [Note this](#)  
More results from www.freepatentsonline.com »

### EuMC 2006 Abstracts Book

peaking amplifier that are essential for proper load modulation ..... predistortion of the gain law of a typical variable gain amplifier. ...  
ieeexplore.ieee.org/iel5/4057701/4057702/04057727.pdf?  
tp=&isnumber=&number=4057727 - [Similar pages](#) - [Note this](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Did you mean to search for: "variable gain amplifier" "peaking amplifier" equalization *predistortion*

"variable gain amplifier" "peaking amplifier" equalization pre-distortion

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)



Web Images Maps News Shopping Gmail more »

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

"variable gain amplifier" "peaking amplifier" equalization predistortion

Search

Web Results 1 - 5 of 5 for "variable gain amplifier" "peaking amplifier" equalization predistortion. (0.26 sec

#### Peaking control for wideband laser driver applications - US Patent ...

The peaking amplifier circuit 112 may have a first input that may receive the ... original unpeaked signal in order to optimize the predistortion waveform. ...

[www.patentstorm.us/patents/6750717-description.html](http://www.patentstorm.us/patents/6750717-description.html) - 35k -

[Cached](#) - [Similar pages](#) - [Note this](#)

#### High Speed Multi-Mode Receiver - Patent 20060067440

The data receiver as claimed in claim 7, wherein the automatic gain control unit includes a variable gain amplifier and a peaking amplifier, such that in a ...

[www.freepatentonline.com/y2006/0067440.html](http://www.freepatentonline.com/y2006/0067440.html) - 74k - [Cached](#) - [Similar pages](#) - [Note this](#)

#### Peaking control for wideband laser driver applications - Patent ...

The peaking amplifier 112 may also receive a control signal (e.g., ... to the original unpeaked signal in order to optimize the predistortion waveform. ...

[www.freepatentonline.com/6460087.html](http://www.freepatentonline.com/6460087.html) - 47k - [Cached](#) - [Similar pages](#) - [Note this](#)

[More results from www.freepatentonline.com »](#)

#### EuMC 2006 Abstracts Book

peaking amplifier that are essential for proper load modulation ..... predistortion of the gain law of a typical variable gain amplifier. ...

[ieeexplore.ieee.org/iel5/4057701/4057702/04057727.pdf?](http://ieeexplore.ieee.org/iel5/4057701/4057702/04057727.pdf?tp=&isnumber=&arnumber=4057727)

[tp=&isnumber=&arnumber=4057727](#) - [Similar pages](#) - [Note this](#)

#### [PDF] ISSCC.ORG

File Format: PDF/Adobe Acrobat

2-tap VGA and peaking amplifier [3.2], and direct feedback of 1. st. tap [3.5] in receiver to cancel. ISI. • Adaptation of equalizer coefficients to channel ...

[www.isccc.org/isscc/2005/press/ISSCC2005PressKit.pdf](http://www.isccc.org/isscc/2005/press/ISSCC2005PressKit.pdf) - [Similar pages](#) - [Note this](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.*

*If you like, you can [repeat the search with the omitted results included](#).*

"variable gain amplifier" "peaking amplifier" equalization predistortion

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



Results for "((variable gain amplifier and peaking)-in&gt;metadata)"

Your search matched 13 of 1764710 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



## Search Options

[View Session History](#)[New Search](#)

## Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((variable gain amplifier and peaking)-in&gt;metadata)



Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/ET

Books

Educational Courses

A

IEEE/ET journals, transactions, letters, magazines, conference proceedings, and

[view selected items](#)[Select All](#) [Deselect All](#)

1. A Wideband CMOS Variable Gain Amplifier With an Exponential Gain Co  
Hui Dong Lee; Kyung Ai Lee; Songcheol Hong;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 55, Issue 6, Part 2, June 2007 Page(s):1363 - 1373  
Digital Object Identifier 10.1109/TMTT.2007.896787  
[AbstractPlus](#) | [Full Text: PDF\(928 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
2. A 155-MHz BiCMOS automatic gain control amplifier  
Po-Chiun Huang; Chen-Yi Huang; Chong-Kuang Wang;  
[Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transact](#)  
[and Systems II: Express Briefs, IEEE Transactions on](#)  
Volume 46, Issue 5, May 1999 Page(s):643 - 647  
Digital Object Identifier 10.1109/82.769815  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(208 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
3. A 15-b pipelined CMOS floating-point A/D converter  
Thompson, D.U.; Wooley, B.A.;  
[Solid-State Circuits, IEEE Journal of](#)  
Volume 36, Issue 2, Feb. 2001 Page(s):299 - 303  
Digital Object Identifier 10.1109/4.902771  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(108 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
4. A CMOS variable gain amplifier for a wideband wireless receiver  
Tadipour, S.; Behbahani, F.; Abidi, A.A.;  
[VLSI Circuits, 1998. Digest of Technical Papers, 1998 Symposium on](#)  
11-13 June 1998 Page(s):86 - 89  
Digital Object Identifier 10.1109/VLSIC.1998.688011  
[AbstractPlus](#) | [Full Text: PDF\(296 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
5. A BiCMOS automatic gain control amplifier for SONET OC-3  
Chen-Yi Huang; Yung-Chow Peng; Chong-Kuang Wang;  
[Custom Integrated Circuits Conference, 1995., Proceedings of the IEEE 1995](#)  
1-4 May 1995 Page(s):103 - 106  
Digital Object Identifier 10.1109/CICC.1995.518146  
[AbstractPlus](#) | [Full Text: PDF\(240 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)



6. A 5Gbps CMOS Automatic Gain Control Amplifier for 10GBase-LX  
 I-Hsin Wang; Wei-Sheng Chen; Shen-Iuan Liu;  
*Asian Solid-State Circuits Conference, 2005*  
 Nov. 2005 Page(s):169 - 172  
 Digital Object Identifier 10.1109/ASSCC.2005.251692  
[AbstractPlus](#) | [Full Text: PDF\(703 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
7. 10GBase-LX CMOS Automatic Gain Control Amplifier Design  
 I-Hsin Wang; Wei-Sheng Chen; Shen-Iuan Liu;  
*Asian Solid-State Circuits Conference, 2005*  
 Nov. 2005 Page(s):505 - 508  
 Digital Object Identifier 10.1109/ASSCC.2005.251788  
[AbstractPlus](#) | [Full Text: PDF\(705 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
8. Design aspects of 32.7-GHz bandwidth AGC amplifier IC with wide dynal  
 SiGe HBT  
 Ohhata, K.; Masuda, T.; Ohue, E.; Washio, K.;  
*Bipolar/BiCMOS Circuits and Technology Meeting, 1998. Proceedings of the*  
 27-29 Sept. 1998 Page(s):39 - 42  
 Digital Object Identifier 10.1109/BIPOL.1998.741877  
[AbstractPlus](#) | [Full Text: PDF\(364 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
9. A single-chip tri-band (2100, 1900, 850/800 MHz) WCDMA/HSDPA cellula  
 Kaczman, D.L.; Shah, M.; Godambe, N.; Alam, M.; Guimaraes, H.; Han, L.M.;  
 D.L.; Getka, W.E.; Dozier, C.; Shepherd, W.P.; Couglar, K.;  
*Solid-State Circuits, IEEE Journal of*  
 Volume 41, Issue 5, May 2006 Page(s):1122 - 1132  
 Digital Object Identifier 10.1109/JSSC.2006.872743  
[AbstractPlus](#) | [Full Text: PDF\(1816 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
10. Adaptive signal processing with genetic algorithm optimum filter for fas  
 Takahashi, H.; Shaaban, N.; Wang, Q.W.; Yeom, J.Y.; Nakazawa, M.;  
*Nuclear Science Symposium Conference Record, 2003 IEEE*  
 Volume 5, 19-25 Oct. 2003 Page(s):3441 - 3443 Vol.5  
 Digital Object Identifier 10.1109/NSSMIC.2003.1352652  
[AbstractPlus](#) | [Full Text: PDF\(346 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
11. Low-Power Single-Loop and Dual-Loop AGCs for Bionic Ears  
 Baker, M.W.; Sarpeshkar, R.;  
*Solid-State Circuits, IEEE Journal of*  
 Volume 41, Issue 9, Sept. 2006 Page(s):1983 - 1996  
 Digital Object Identifier 10.1109/JSSC.2006.880599  
[AbstractPlus](#) | [Full Text: PDF\(2408 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
12. Adaptive analog IF signal processor for a wide-band CMOS wireless rec  
 Behbahani, F.; Karimi-Sanjaani, A.; Wee-Guan Tan; Roithmeier, A.; Leete, J.  
*Solid-State Circuits, IEEE Journal of*  
 Volume 36, Issue 8, Aug. 2001 Page(s):1205 - 1217  
 Digital Object Identifier 10.1109/4.938371  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(300 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
13. A low-power method adding continuous variable gain to amplifiers  
 Halvorsrod, T.; Birkenes, O.; Eichrodt, C.;  
*Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on*  
 23-26 May 2005 Page(s):1593 - 1596 Vol. 2  
 Digital Object Identifier 10.1109/ISCAS.2005.1464907  
[AbstractPlus](#) | [Full Text: PDF\(576 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

Indexed by



[Help](#) [Contact Us](#)

© Copyright 2008


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((variable gain amplifier and peaking amplifier)&lt;in&gt;metadata)"

Your search matched 0 of 1764710 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» Search Options](#)[View Session History](#)[New Search](#)[» Key](#)

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((variable gain amplifier and peaking amplifier)&lt;in&gt;metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[A](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

[view selected items](#)[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the [Help](#) pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#)

© Copyright 2008


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((variable gain amplifier and peaking and equalization)-in&gt;metadata)"

Your search matched 0 of 1764710 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» Search Options](#)[View Session History](#)[New Search](#)[- Key](#)

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[Modify Search](#)

((variable gain amplifier and peaking and equalization)-in&gt;metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[A](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

[view selected items](#)[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the [Help](#) pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#)

© Copyright 2008

1-9 of 9 hits for variable gain amplifier peaking amplifier equalization predistortion

Email, Save or Export checked results

Sort

**Filter search results by**

**Content sources**

☐ Journal sources

☐ Preferred web (5)

- Patent Offices (3)
- NDLTD (2)

☐ Other web (4)

**File types**

- HTML (6)
- PDF (2)
- Word (1)

**Refine your search**

- amplifiers
- non-linear amplifier
- cartesian
- power amplifier
- vibrating
- stored program
- intermodulation
- phase margin
- loop gain
- linearization

[more >](#)

Did you mean variable gain amplifiers peaking amplifier equalization.

- ☐ 1. Adaptive noise filtering and equalization for optimal high speed  
Kim, Andrew Joo / Hietala, Vincent Mark / Bajekal, Sanja  
**UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PA**  
patno: US7035361  
...problems of equalization and noise...FIG. 1A, an equalizati  
a variable gain amplifier 105, a signal...help improve equaliz  
gain coefficient...exemplary variable gain tap amplifier 900 f  
Full text available at patent office. For more in-depth sear  
[similar results](#)
- ☐ 2. t0pc111.fm [PDF-3MB]  
Feb 2006  
...to exhibit closed-loop peaking which can affect the...order to  
condition for a first...predict the degree of peaking from the ga  
Further...e. close to the power amplifier) in order to minimize..  
[http://wallaby.vu.edu.au/adt-VVUT/uploads/approved/adt...]  
[similar results](#)
- ☐ 3. Linearization of RF Power Amplifiers  
Briffa, Mark A / markbriffa@yahoo.com , Jan 1996  
...to exhibit closed-loop peaking which can affect the...order to  
condition for a first...predict the degree of peaking from the ga  
Further...e. close to the power amplifier) in order to minimize..  
Full text thesis available via NDLTD (Australasian Digital  
[similar results](#)
- ☐ 4. IST-2001-Word - B32157 [Word-7MB]  
Jan 2004  
...in Class A and peaking amplifier in Class B 32...1 Non-linear  
Clipping...signal 48 4.3 Predistortion with look-up...53 5.2.1 P  
characteristics...Simulation purpose and variables of interest 6;  
[http://www.imec.be/pacwoman/Deliverables/WP4/WP4.2-IME..  
[similar results](#)
- ☐ 5. Testicular function in normal and poor semen quality stallions  
Bryan, Tina Michelle, 1975- , Apr 2006  
The chromosomal location of endocrine genes was established, &  
expression of specific endocrine genes and measures of testis fu  
semen quality stallions was assessed. Consensus primer sequen  
Full text thesis available via NDLTD (Texas A and M Unive  
[similar results](#)
- ☐ 6. Microsoft Word - BobKatzArticles.doc [PDF-2MB]  
Jun 2006  
...compromise is to use a low-end digital console. The mixing re  
consoles is usually "adequate", but often the equalization and  
pristine. In that case, if you must mix digitally, then think about  
outboard...  
[http://www.ingelec.uns.edu.ar/pds2803/Materiales/artic...]  
[similar results](#)
- ☐ 7. Publication Details [611K]  
Apr 2007  
...Communications Wireless Data Communications Jinho Choi . E  
blind channel estimation for space-time block coded...Keywords  
identification cyclostationary equalization frequency-selective f  
semi-blind method...  
[http://audrey.levels.unisa.edu.au/membersonly/show/pub...]  
[similar results](#)
- ☐ 8. Hysteresis waveshaping

- ☐ Ludwig, Lester F., *UNITED STATES PATENT AND TRADEMARK PUBLICATION*, May 2004  
patno: US20040099127

This invention provides a signal processing and signal synthesis signal processing and signal synthesis techniques designed to re individually in creating new forms of rich musical timbres. Synth Full text available at patent office. For more in-depth search similar results

- ☐ 9. Derivation of control signals from real-time overtone measurement  
Ludwig, Lester F., *UNITED STATES PATENT AND TRADEMARK PUBLICATION*, Apr 2004  
patno: US20040069128

A system for control signal generation using detected dynamic components of an incoming electronic signal. Fixed or adjustable coupled to signal parameter measurement elements. Each filter Full text available at patent office. For more in-depth search similar results

 [Email](#), [Save](#) or [Export](#) checked results

[Back](#)

variable gain amplifier peaking amplifier ex

[Search](#)

[top](#)

[Downloads](#) | [Submit website](#) | [Scirus newsletter](#) | [Help](#) | [Library partners](#) | [Contact us](#)

[About us](#) | [Advisory board](#) | [Privacy policy](#) | [Terms & Conditions](#) | [Newsroom](#)

Powered by FAST © Elsevier 2008

1-1 of 1 hits for "variable gain amplifier" "peaking amplifier" equalization pre-distortion

☐ Email, [Save](#) or [Export](#) checked results

Sort

**Filter search results by**

**Content sources**

☐ Journal sources

☒ Preferred web (1)

- Patent Offices (1)

☐ Other web

**File types**

☒ HTML (1)

**Refine your search**

- us20060067440
- usa711713
- usb711713
- 10711713
- transmitter
- differential signal
- common mode
- automatic gain control
- adjusting
- amplify

more >

- ☐ 1. High Speed Multi-Mode Receiver  
Hsu, Louis C. / Ji, Brian L. / Mason, James S. / Selander, I  
A. / Zier, Steven J. (INTERNATIONAL BUSINESS MACHINE  
UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT  
patno:US20060067440  
...a central equalization unit operable...active, the equalizatio  
information...embodiment, the equalization information...com  
maintain...includes a variable gain amplifier (VGA) 310, a pe  
DC...and the peaking amplifier 320 operates...  
Full text available at patent office. For more in-depth sear  
similar results

☐ Email, [Save](#) or [Export](#) checked results

## Sponsored links

### Variables

Live Math Tutoring & Homework Help Get Help 24X7 with Problems & Te

[www.TutorVista.com](http://www.TutorVista.com)

"variable gain amplifier" "peaking amplifier"

Search

[Back](#)  
[to](#)  
[top](#)

[Downloads](#) | [Submit website](#) | [Scirus newsletter](#) | [Help](#) | [Library partners](#) | [Contact us](#)

[About us](#) | [Advisory board](#) | [Privacy policy](#) | [Terms & Conditions](#) | [Newsroom](#)

Powered by FAST © Elsevier 2008

1-10 of 19 hits for "variable gain amplifier" peaking amplifier equalization "pre-distortion"

Email, Save or Export checked results

Sort

**Filter search results by**

**Content sources**

☐ Journal sources

☐ Preferred web (14)

- Patent Offices (12)
- NDLTD (2)

☐ Other web (5)

**File types**

- HTML (14)
- PDF (4)

**Refine your search**

- circuit diagram
- control voltage
- transistor
- low-pass
- control block
- gain range
- threshold voltage
- amplifiers
- reference voltage
- output delay

more >

- ☐ 1. ADAPTABLE VOLTAGE CONTROL FOR A VARIABLE GAIN AMPLIFIER  
Caresosa, Mario / Yin, Guangming, UNITED STATES PATENT PRE-GRANT PUBLICATION, Mar 2007  
patno:US20070069817  
...produces an output swing that is equal to a pre-determined a required...coupled to a supply voltage VDD via shunt peaking in respectively...a more complicated task. Because of distortion c range of...the Vc approaches the region where the distortion si the high...should be at a Vc that represents some pre-determin amplification...  
Full text available at patent office. For more in-depth sear similar results
- ☐ 2. Adaptable voltage control for a variable gain amplifier  
Caresosa, Mario / Yin, Guangming (Broadcom Corporator PATENT AND TRADEMARK OFFICE GRANTED PATENT, Aug 2007  
patno:US7262659  
...produces an output swing that is equal to a pre-determined a required...coupled to a supply voltage VDD via shunt peaking in respectively...a more complicated task. Because of distortion c range of...the Vc approaches the region where the distortion si the high...should be at a Vc that represents some pre-determin amplification...  
Full text available at patent office. For more in-depth sear similar results
- ☐ 3. Adaptable voltage control for a variable gain amplifier  
Caresosa, Mario / Yin, Guangming (Broadcom Corporator PATENT AND TRADEMARK OFFICE GRANTED PATENT, Nov 2006  
patno:US7135926  
...produces an output swing that is equal to a pre-determined a required...coupled to a supply voltage VDD via shunt peaking in respectively...a more complicated task. Because of distortion c range of...the Vc approaches the region where the distortion si the high...should be at a Vc that represents some pre-determin amplification...  
Full text available at patent office. For more in-depth sear similar results
- ☐ 4. Adaptable voltage control for a variable gain amplifier  
Caresosa, Mario / Yin, Guangming (BROADCOM CORPORA PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Fe  
patno:US20060028270  
...produces an output swing that is equal to a pre-determined a required...coupled to a supply voltage VDD via shunt peaking in respectively...a more complicated task. Because of distortion c range of...the Vc approaches the region where the distortion si the high...should be at a Vc that represents some pre-determin amplification...  
Full text available at patent office. For more in-depth sear similar results
- ☐ 5. ADAPTABLE VOLTAGE CONTROL FOR A VARIABLE GAIN AMPLIFIER  
Caresosa, Mario / Yin, Guangming, UNITED STATES PATENT PRE-GRANT PUBLICATION, Nov 2005  
patno:US20050258900  
...produces an output swing that is equal to a pre-determined a required...coupled to a supply voltage VDD via shunt peaking in respectively...a more complicated task. Because of distortion c range of...the Vc approaches the region where the distortion si



the high...should be at a Vc that represents some pre-determined amplification...

Full text available at patent office. For more in-depth search similar results

- ☐ 6. Adaptable voltage control for a variable gain amplifier  
Caresosa, Mario / Yin, Guangming (Broadcom Corporation)  
PATENT AND TRADEMARK OFFICE GRANTED PATENT, Dec 2005  
patno: US6980053

...produces an output swing that is equal to a pre-determined a required...coupled to a supply voltage VDD via shunt peaking in respectively...a more complicated task. Because of distortion c range of...the Vc approaches the region where the distortion st the high...should be at a Vc that represents some pre-determined amplification...

Full text available at patent office. For more in-depth search similar results

- ☐ 7. High Speed Multi-Mode Receiver  
Hsu, Louis C. / Ji, Brian L. / Mason, James S. / Selander, I A. / Zier, Steven J. (INTERNATIONAL BUSINESS MACHINES)  
UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT  
patno: US20060067440

...invention includes a central equalization unit operable to get the equalization information may include...another embodiment information may include...the DFE to compensate distortion. To unit 62 includes a variable gain amplifier (VGA) 310, a peak offset...

Full text available at patent office. For more in-depth search similar results

- ☐ 8. Reconfigurable Equalization for 10-Gb/sec Serial Data Links in a Technology  
BI EN, FRANKLIN YOUNG-JAE, Nov 2006  
Reconfigurable Equalization for 10-Gb/sec Serial...VARIABLE T AMPLIFIER...Output Monitoring VGA Variable Gain Amplifier Gain...using electrical equalization implemented in an...

Full text thesis available via NDLT (Georgia Tech)  
similar results

- ☐ 9. Chip equalization and transmit antenna diversity for high-speed  
Meshkati, Farhad, Jan 2001

...noise low-distortion switchable-gain amplifier, and a low... amplifier...a filter: a variable gain amplifier, and a set...by n verification...switched gain amplifiers and the variable gain a determine...noise figure, distortion, dynamic range...

Full text thesis available via NDLT (Library and Archives)  
similar results

- ☐ 10. Adaptive noise filtering and equalization for optimal high speed  
Kim, Andrew Joo / Hietala, Vincent Mark / Bajekal, Sanja  
UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT  
patno: US20060239390

...problems of equalization and noise filtering...comprise a var 105, a signal...particular type of distortion using a relatively... amplifier 105, and filter...the signal be pre-filtered with...T0) a with gain...help improve equalization. Filtering...Removing the transmission...distortions, but also pre-compensates...

Full text available at patent office. For more in-depth search similar results

☐ Email, Save or Export checked results

"variable gain amplifier" peaking amplifier

Search

Back  
to  
top

[Downloads](#) | [Submit website](#) | [Scirus newsletter](#) | [Help](#) | [Library partners](#) | [Contact us](#)

[About us](#) | [Advisory board](#) | [Privacy policy](#) | [Terms & Conditions](#) | [Newsroom](#)

Powered by FAST © Elsevier 2008

# Continuity/Reexam Information for 10/711713

Parent Data

No Parent Data

Child Data

No Child Data

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)

Search Another: Application #

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to [OASIS](#) | Home page

# Foreign Information for 10/711713

---

## No Foreign Data

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity/Reexam	Foreign Data <input type="checkbox"/>
------------	----------	---------------	-----------------	-------------------	---------------------------------------

Search Another: Application #

  

or Patent#

  

PCT / /

  

or PG PUBS #

  

Attorney Docket #

  

Bar Code #

  

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to [OASIS](#) | Home page

## Application Number Information

## Application Number Information

Application Number: 10/711713

Assignments

Examiner Number: 80488 /TORRES, JUAN

Filing or 371(c) Date: 09/30/2004 eDan

Group Art Unit: 2611

IFW Madras

Effective Date: 09/30/2004

Class/Subclass:

375/345.000

Application Received: 09/30/2004

Lost Case: NO

Waiting for Response

Pat. Num./Pub. Num: /20060067440

Interference Number:

Desc.

Issue Date: 00/00/0000

Unmatched Petition: NO

Mail Non Final

Date of Abandonment: 00/00/0000

L&amp;R Code: Secrecy Code:1

Attorney Docket Number:

Third Level Review: NO

Secrecy Order: NO

FIS920040082US1

Status: 41 /NON FINAL ACTION MAILED

Status Date: 12/10/2007

Confirmation Number: 5712

Oral Hearing: NO

Title of Invention: HIGH SPEED MULTI-MODE RECEIVER

Bar Code	PALM Location	Location Date	Charge to Loc	Charge to Name	Employee Name	Location
----------	---------------	---------------	---------------	----------------	---------------	----------

Appln  
Info[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)

Search Another: Application #

[Search](#)

or Patent #

[Search](#)

PCT / /

[Search](#)

or PG PUBS #

[Search](#)

Attorney Docket #

[Search](#)

Bar Code #

[Search](#)

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to [OASIS](#) | [Home page](#)[http://EXPWEB1:8001/cgi-bin/expo/GenInfo/snquery.pl?APPL\\_ID=10711713](http://EXPWEB1:8001/cgi-bin/expo/GenInfo/snquery.pl?APPL_ID=10711713)

Application  
Number

IDS Flag Clearance for Application: 10711713

**IDS  
Information**

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2004-10-18	23	Y <input checked="" type="checkbox"/>	2007-09-04 22:10:27.0	jtorres1
<input type="button" value="Update"/>					

# Inventor Information for 10/711713

Inventor Name	City	State/Country
HSU, LOUIS C.	FISHKILL	NEW YORK
JL, BRIAN L.	FISHKILL	NEW YORK
MASON, JAMES S.	EASTLEIGH	UNITED KINGDOM
SELANDER, KARL D.	HOPEWELL JUNCTION	NEW YORK
SORNA, MICHAEL A.	HOPEWELL JUNCTION	NEW YORK
ZIER, STEVEN J.	HOPEWELL JUNCTION	NEW YORK

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign C](#)

Search Another: Application #

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to [OASIS](#) | [Home page](#)

Day : Monday  
Date: 3/24/2008

Time: 09:58:12

# **PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = **JI**

First Name = **BRIAN**

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">09257146</a>	<a href="#">6477630</a>	150	02/24/1999	HIERARCHICAL ROW ACTIVATION METHOD FOR BANKING CONTROL IN MULTI-BANK DRAM	JI, BRIAN
<a href="#">09333539</a>	<a href="#">6081479</a>	150	06/15/1999	HIERARCHICAL PREFETCH FOR SEMICONDUCTOR MEMORIES	JI, BRIAN
<a href="#">09579749</a>	<a href="#">6252806</a>	150	05/26/2000	Multi-generator, partial array Vt tracking system to improve array retention time	JI, BRIAN L.
<a href="#">09712628</a>	<a href="#">6400639</a>	150	11/14/2000	WORDLINE DECODER SYSTEM AND METHOD	JI, BRIAN L.
<a href="#">10063466</a>	<a href="#">6801980</a>	150	04/25/2002	DESTRUCTIVE-READ RANDOM ACCESS MEMORY SYSTEM BUFFERED WITH DESTRUCTIVE-READ MEMORY CACHE	JI, BRIAN L.
<a href="#">10145018</a>	<a href="#">7216284</a>	150	05/15/2002	CONTENT ADDRESSABLE MEMORY HAVING REDUCED POWER CONSUMPTION	JI, BRIAN L.
<a href="#">10249546</a>	<a href="#">6980824</a>	150	04/17/2003	METHOD AND SYSTEM FOR OPTIMIZING TRANSMISSION AND RECEPTION POWER LEVELS IN A COMMUNICATION SYSTEM	JI, BRIAN L.
<a href="#">10314497</a>	Not Issued	161	12/06/2002	Apparatus and method for shielding a wafer from charged particles during plasma etching	JI, BRIAN L.
<a href="#">10320842</a>	Not Issued	161	12/16/2002	Magnetic mirror for preventing wafer edge damage during dry etching	JI, BRIAN L.
<a href="#">10334312</a>	<a href="#">6823293</a>	150	12/31/2002	HIERARCHICAL POWER SUPPLY NOISE MONITORING DEVICE AND SYSTEM FOR VERY LARGE SCALE INTEGRATED CIRCUITS	JI, BRIAN L.
<a href="#">10673801</a>	<a href="#">7355872</a>	150	09/29/2003	SEGMENTED CONTENT ADDRESSABLE MEMORY	JI, BRIAN L.



				ARCHITECTURE FOR IMPROVED CYCLE TIME AND REDUCED POWER CONSUMPTION	
<a href="#">10707199</a>	<a href="#">6975140</a>	150	11/26/2003	ADAPTIVE DATA TRANSMITTER HAVING REWRITEABLE NON-VOLATILE STORAGE	Ji, BRIAN L.
<a href="#">10710169</a>	<a href="#">6948028</a>	150	06/23/2004	DESTRUCTIVE-READ RANDOM ACCESS MEMORY SYSTEM BUFFERED WITH DESTRUCTIVE-READ MEMORY CACHE	Ji, BRIAN L.
<a href="#">10711713</a>	Not Issued	41	09/30/2004	High Speed Multi-Mode Receiver	Ji, BRIAN L.
<a href="#">10993941</a>	<a href="#">7005319</a>	150	11/19/2004	GLOBAL PLANARIZATION OF WAFER SCALE PACKAGE WITH PRECISION DIE THICKNESS CONTROL	Ji, BRIAN L.
<a href="#">10996312</a>	Not Issued	93	11/23/2004	ON-CHIP ELECTRICALLY ALTERABLE RESISTOR	Ji, BRIAN L.
<a href="#">11098078</a>	<a href="#">7233177</a>	150	04/04/2005	PRECISION TUNING OF A PHASE-CHANGE RESISTIVE ELEMENT	Ji, BRIAN L.
<a href="#">11160220</a>	<a href="#">7203794</a>	150	06/14/2005	DESTRUCTIVE-READ RANDOM ACCESS MEMORY SYSTEM BUFFERED WITH DESTRUCTIVE-READ MEMORY CACHE	Ji, BRIAN L.
<a href="#">11172473</a>	<a href="#">7319608</a>	150	06/30/2005	NON-VOLATILE CONTENT ADDRESSABLE MEMORY USING PHASE-CHANGE-MATERIAL MEMORY ELEMENTS	Ji, BRIAN L.
<a href="#">11193878</a>	Not Issued	41	07/29/2005	Write operations for phase-change-material memory	Ji, BRIAN L.
<a href="#">11260375</a>	Not Issued	41	10/28/2005	Apparatus and method for shielding a wafer from charged particles during plasma etching	Ji, BRIAN L.
<a href="#">11297730</a>	<a href="#">7342406</a>	150	12/08/2005	METHODS AND APPARATUS FOR INLINE VARIABILITY MEASUREMENT OF INTEGRATED CIRCUIT COMPONENTS	Ji, BRIAN L.
<a href="#">11623434</a>	Not Issued	41	01/16/2007	Multi-Port Dynamic Memory Structures	Ji, BRIAN L.
<a href="#">11929943</a>	Not Issued	20	10/30/2007	Embedded DRAM Integrated Circuits With Extremely Thin Silicon-On-Insulator Pass Transistors	Ji, BRIAN L.

<a href="#">12041388</a>	Not Issued	17	03/03/2008	Methods and Apparatus for Inline Variability Measurement of Integrated Circuit Components	Ji, BRIAN L.
<a href="#">60119713</a>	Not Issued	159	02/11/1999	HIERARCHICAL PREFETCH FOR SEMICONDUCTOR MEMORIES	Ji, BRIAN L.
<a href="#">10688744</a>	Not Issued	161	10/17/2003	Output driver impedance control for addressable memory devices	Ji, BRIAN LI
<a href="#">09419594</a>	Not Issued	164	10/18/1999	ADDRESS WRAP FUNCTION FOR ADDRESSABLE MEMORY DEVICES	Ji, BRIAN LI
<a href="#">11322330</a>	Not Issued	30	12/30/2005	Multi-unit condominium structure using foundation zones	JIMENEZ, BRIAN R.
<a href="#">11322380</a>	Not Issued	30	12/30/2005	Multi-unit condominium structure with configurable space designs	JIMENEZ, BRIAN R.
<a href="#">11323891</a>	Not Issued	30	12/30/2005	Method of constructing and selling condominium units	JIMENEZ, BRIAN R.
<a href="#">11936966</a>	Not Issued	25	11/08/2007	IDENTITY MANAGEMENT SUITE	JIMERSON, BRIAN
<a href="#">09491763</a>	Not Issued	161	01/27/2000	Collapsible sports goal	JIRSA, BRIAN

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name Ji	First Name BRIAN	<input type="button" value="Search"/>
--------------------------	-----------------	---------------------	---------------------------------------

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

# PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = SELANDER

First Name = KARL

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">09761049</a>	<a href="#">6356114</a>	150	01/16/2001	High speed receiver with integrated CMOS and PECL capability	SELANDER, KARL
<a href="#">10249545</a>	<a href="#">6891357</a>	150	04/17/2003	REFERENCE CURRENT GENERATION SYSTEM AND METHOD	SELANDER, KARL D.
<a href="#">10249546</a>	<a href="#">6980824</a>	150	04/17/2003	METHOD AND SYSTEM FOR OPTIMIZING TRANSMISSION AND RECEPTION POWER LEVELS IN A COMMUNICATION SYSTEM	SELANDER, KARL D.
<a href="#">10249795</a>	<a href="#">6680681</a>	150	05/08/2003	HIGH SPEED FIR TRANSMITTER	SELANDER, KARL D.
<a href="#">10250043</a>	<a href="#">6937054</a>	150	05/30/2003	PROGRAMMABLE PEAKING RECEIVER AND METHOD	SELANDER, KARL D.
<a href="#">10604025</a>	<a href="#">7352815</a>	150	06/23/2003	DATA TRANSCEIVER AND METHOD FOR EQUALIZING THE DATA EYE OF A DIFFERENTIAL INPUT DATA SIGNAL	SELANDER, KARL D.
<a href="#">10710064</a>	<a href="#">7295618</a>	150	06/16/2004	AUTOMATIC ADAPTIVE EQUALIZATION METHOD AND SYSTEM FOR HIGH-SPEED SERIAL TRANSMISSION LINK	SELANDER, KARL D.
<a href="#">10711713</a>	Not Issued	41	09/30/2004	High Speed Multi-Mode Receiver	SELANDER, KARL D.
<a href="#">10905436</a>	<a href="#">7205830</a>	150	01/04/2005	ANALOG MOS CIRCUITS HAVING REDUCED VOLTAGE STRESS	SELANDER, KARL D.
<a href="#">10905704</a>	<a href="#">7102392</a>	150	01/18/2005	IMPROVED SIGNAL DETECTOR FOR HIGH-SPEED SERDES	SELANDER, KARL D.
<a href="#">10905705</a>	Not Issued	41	01/18/2005	FRONT END INTERFACE FOR DATA RECEIVER	SELANDER, KARL D.
<a href="#">10908959</a>	Not Issued	30	06/02/2005	APPARATUS AND METHOD FOR REDUCED LOADING OF SIGNAL TRANSMISSION	SELANDER, KARL D.

				ELEMENTS	
<a href="#">11103314</a>	<a href="#">7132821</a>	150	04/11/2005	REFERENCE CURRENT GENERATION SYSTEM	SELANDER, KARL D.
<a href="#">11163688</a>	<a href="#">7332956</a>	150	10/27/2005	METHOD TO AVOID DEVICE STRESSING	SELANDER, KARL D.
<a href="#">11383821</a>	Not Issued	41	05/17/2006	Signal Detector with Calibration Circuit Arrangement	SELANDER, KARL D.
<a href="#">11964894</a>	Not Issued	19	12/27/2007	AVOIDING DEVICE STRESSING	SELANDER, KARL D.
<a href="#">11974967</a>	Not Issued	17	10/17/2007	Automatic adaptive equalization method for high-speed serial transmission link	SELANDER, KARL D.
<a href="#">11999627</a>	Not Issued	19	12/06/2007	Design structure for apparatus for reduced loading of signal transmission elements	SELANDER, KARL D.
<a href="#">09017719</a>	<a href="#">5825169</a>	250	02/04/1998	DYNAMICALLY BIASED CURRENT GAIN VOLTAGE REGULATOR WITH LOW QUIESCENT POWER CONSUMPTION	SELANDER, KARL D.
<a href="#">10915790</a>	Not Issued	93	08/11/2004	METHODS AND ARRANGEMENTS FOR LINK POWER REDUCTION	SELANDER, KARL DAVID
<a href="#">10994742</a>	Not Issued	41	11/22/2004	Timing bias compensation for a data receiver with decision-feedback equalizer	SELANDER, KARL DAVID
<a href="#">06279591</a>	<a href="#">4423571</a>	150	07/01/1981	QUICK CHANGE SHOE ASSEMBLY FOR STRAIGHT LINE SANDER	SELANDER, KARL W.

Inventor Search Completed: No Records to Display.

Search Another: Inventor    
 SELANDER KARL

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 3/24/2008

Time: 09:59:56

# **PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = SORNA

First Name = MICHAEL

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">09757107</a>	<a href="#">6466100</a>	150	01/08/2001	LINEAR VOLTAGE CONTROLLED OSCILLATOR TRANSCONDUCTOR WITH GAIN COMPENSATION	SORNA, MICHAEL A.
<a href="#">09761526</a>	<a href="#">6528777</a>	150	01/16/2001	OPTICAL POWER METER DERIVED FROM COMMON-MODE VOLTAGE OF OPTICAL TRANSIMPEDANCE AMPLIFIER	SORNA, MICHAEL A.
<a href="#">09887792</a>	<a href="#">6785832</a>	150	06/22/2001	PROCESS INDEPENDENT SOURCE SYNCHRONOUS DATA CAPTURE APPARATUS AND METHOD	SORNA, MICHAEL A.
<a href="#">10064387</a>	<a href="#">7321617</a>	150	07/09/2002	DATA COMMUNICATION SYSTEM WITH SELF-TEST FEATURE	SORNA, MICHAEL A.
<a href="#">10139931</a>	<a href="#">6661267</a>	150	05/06/2002	COARSE CALIBRATION CIRCUIT USING VARIABLE STEP SIZES TO REDUCE JITTER AND A DYNAMIC COURSE CALIBRATION (DCC) CIRCUIT FOR A 2 GHZ VCO	SORNA, MICHAEL A.
<a href="#">10160541</a>	<a href="#">7142623</a>	150	05/31/2002	ON-CHIP SYSTEM AND METHOD FOR MEASURING JITTER TOLERANCE OF A CLOCK AND DATA RECOVERY CIRCUIT	SORNA, MICHAEL A.
<a href="#">10249545</a>	<a href="#">6891357</a>	150	04/17/2003	REFERENCE CURRENT GENERATION SYSTEM AND METHOD	SORNA, MICHAEL A.
<a href="#">10249546</a>	<a href="#">6980824</a>	150	04/17/2003	METHOD AND SYSTEM FOR OPTIMIZING TRANSMISSION AND RECEPTION POWER LEVELS IN A COMMUNICATION SYSTEM	SORNA, MICHAEL A.
<a href="#">10249795</a>	<a href="#">6680681</a>	150	05/08/2003	HIGH SPEED FIR TRANSMITTER	SORNA, MICHAEL A.
<a href="#">10250043</a>	<a href="#">6937054</a>	150	05/30/2003	PROGRAMMABLE PEAKING RECEIVER AND METHOD	SORNA, MICHAEL A.

<a href="#">10604025</a>	<a href="#">7352815</a>	150	<a href="#">06/23/2003</a>	DATA TRANSCEIVER AND METHOD FOR EQUALIZING THE DATA EYE OF A DIFFERENTIAL INPUT DATA SIGNAL	SORNA, MICHAEL A.
<a href="#">10604419</a>	<a href="#">7113749</a>	150	<a href="#">07/18/2003</a>	SYSTEM AND METHOD FOR MEASURING A HIGH SPEED SIGNAL	SORNA, MICHAEL A.
<a href="#">10707123</a>	<a href="#">6956417</a>	150	<a href="#">11/21/2003</a>	LEAKAGE COMPENSATION CIRCUIT	SORNA, MICHAEL A.
<a href="#">10707171</a>	<a href="#">6963240</a>	150	<a href="#">11/25/2003</a>	DAMPING OF LC RINGING IN IC (INTEGRATED CIRCUIT) POWER DISTRIBUTION SYSTEMS	SORNA, MICHAEL A.
<a href="#">10708233</a>	<a href="#">6949981</a>	150	<a href="#">02/18/2004</a>	DYNAMIC THRESHOLD FOR VCO CALIBRATION	SORNA, MICHAEL A.
<a href="#">10710064</a>	<a href="#">7295618</a>	150	<a href="#">06/16/2004</a>	AUTOMATIC ADAPTIVE EQUALIZATION METHOD AND SYSTEM FOR HIGH-SPEED SERIAL TRANSMISSION LINK	SORNA, MICHAEL A.
<a href="#">10710745</a>	<a href="#">7053712</a>	150	<a href="#">07/30/2004</a>	METHOD AND APPARATUS FOR CONTROLLING COMMON-MODE OUTPUT VOLTAGE IN FULLY DIFFERENTIAL AMPLIFIERS	SORNA, MICHAEL A.
<a href="#">10711713</a>	Not Issued	41	<a href="#">09/30/2004</a>	High Speed Multi-Mode Receiver	SORNA, MICHAEL A.
<a href="#">10905704</a>	<a href="#">7102392</a>	150	<a href="#">01/18/2005</a>	IMPROVED SIGNAL DETECTOR FOR HIGH-SPEED SERDES	SORNA, MICHAEL A.
<a href="#">10905705</a>	Not Issued	41	<a href="#">01/18/2005</a>	FRONT END INTERFACE FOR DATA RECEIVER	SORNA, MICHAEL A.
<a href="#">10908959</a>	Not Issued	30	<a href="#">06/02/2005</a>	APPARATUS AND METHOD FOR REDUCED LOADING OF SIGNAL TRANSMISSION ELEMENTS	SORNA, MICHAEL A.
<a href="#">10994742</a>	Not Issued	41	<a href="#">11/22/2004</a>	Timing bias compensation for a data receiver with decision-feedback equalizer	SORNA, MICHAEL A.
<a href="#">11103314</a>	<a href="#">7132821</a>	150	<a href="#">04/11/2005</a>	REFERENCE CURRENT GENERATION SYSTEM	SORNA, MICHAEL A.
<a href="#">11306985</a>	Not Issued	60	<a href="#">01/18/2006</a>	ON-CHIP ELECTROMIGRATION MONITORING SYSTEM	SORNA, MICHAEL A.
<a href="#">11383821</a>	Not Issued	41	<a href="#">05/17/2006</a>	Signal Detector with Calibration Circuit Arrangement	SORNA, MICHAEL A.
<a href="#">11467349</a>	Not Issued	41	<a href="#">08/25/2006</a>	CML TO CMOS SIGNAL CONVERTER	SORNA, MICHAEL A.
<a href="#">11557676</a>	Not	30	<a href="#">11/08/2006</a>	Systems and Arrangements for	SORNA, MICHAEL

	Issued			Controlling an Impedance on a Transmission Path	A.
<a href="#">11759396</a>	Not Issued	25	06/07/2007	OUT OF BAND SIGNALING ENHANCEMENT FOR HIGH SPEED SERIAL DRIVER	SORNA, MICHAEL A.
<a href="#">11766268</a>	Not Issued	30	06/21/2007	Robust Cable Connectivity Test Receiver For High-Speed Data Receiver	SORNA, MICHAEL A.
<a href="#">11846581</a>	Not Issued	30	08/29/2007	Data Communication System with Self-Test Feature	SORNA, MICHAEL A.
<a href="#">11968872</a>	Not Issued	17	01/03/2008	SYSTEM FOR MEASURING AN EYEWIDTH OF A DATA SIGNAL IN AN ASYNCHRONOUS SYSTEM	SORNA, MICHAEL A.
<a href="#">11974967</a>	Not Issued	17	10/17/2007	Automatic adaptive equalization method for high-speed serial transmission link	SORNA, MICHAEL A.
<a href="#">11985956</a>	Not Issued	19	11/19/2007	Structure for robust cable connectivity test receiver for high-speed data receiver	SORNA, MICHAEL A.
<a href="#">11985966</a>	Not Issued	25	11/19/2007	Design structure for on-chip electromigration monitoring system	SORNA, MICHAEL A.
<a href="#">11999627</a>	Not Issued	19	12/06/2007	Design structure for apparatus for reduced loading of signal transmission elements	SORNA, MICHAEL A.
<a href="#">07620973</a>	<a href="#">5132613</a>	150	11/30/1990	LOW INDUCTANCE SIDE MOUNT DECOUPLING TEST STRUCTURE	SORNA, MICHAEL A.
<a href="#">07690404</a>	<a href="#">5144228</a>	150	04/23/1991	PROBE INTERFACE ASSEMBLY	SORNA, MICHAEL A.
<a href="#">08534900</a>	<a href="#">5661395</a>	250	09/28/1995	ACTIVE, LOW VSD, FIELD EFFECT TRANSISTOR CURRENT SOURCE	SORNA, MICHAEL A.
<a href="#">08884117</a>	<a href="#">5912928</a>	150	06/27/1997	HIGH SPEED SERIAL DATA TRANSMISSION ENCODER	SORNA, MICHAEL A.
<a href="#">09017719</a>	<a href="#">5825169</a>	250	02/04/1998	DYNAMICALLY BIASED CURRENT GAIN VOLTAGE REGULATOR WITH LOW QUIESCENT POWER CONSUMPTION	SORNA, MICHAEL A.
<a href="#">10915790</a>	Not Issued	93	08/11/2004	METHODS AND ARRANGEMENTS FOR LINK POWER REDUCTION	SORNA, MICHAEL ANTHONY
<a href="#">08740811</a>	<a href="#">5805088</a>	150	11/01/1996	HIGH SPEED ASYNCHRONOUS SERIAL TO PARALLEL DATA CONVERTER	SORNA, MICHAEL ANTHONY

Investor Search Completed: No Records to Display.

	Last Name	First Name
Search Another: Inventor	SORNA	MICHAEL
		<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



## PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = ZIER

First Name = STEVEN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">10250043</a>	<a href="#">6937054</a>	150	05/30/2003	PROGRAMMABLE PEAKING RECEIVER AND METHOD	ZIER, STEVEN J.
<a href="#">10711713</a>	Not Issued	41	09/30/2004	High Speed Multi-Mode Receiver	ZIER, STEVEN J.
<a href="#">10905436</a>	<a href="#">7205830</a>	150	01/04/2005	ANALOG MOS CIRCUITS HAVING REDUCED VOLTAGE STRESS	ZIER, STEVEN J.
<a href="#">11163688</a>	<a href="#">7332956</a>	150	10/27/2005	METHOD TO AVOID DEVICE STRESSING	ZIER, STEVEN J.
<a href="#">11203860</a>	<a href="#">7268624</a>	150	08/15/2005	DIFFERENTIAL AMPLIFIER OFFSET VOLTAGE MINIMIZATION INDEPENDENTLY FROM COMMON MODE VOLTAGE ADJUSTMENT	ZIER, STEVEN J.
<a href="#">11272589</a>	<a href="#">7265696</a>	150	11/10/2005	METHODS AND APPARATUS FOR TESTING AN INTEGRATED CIRCUIT	ZIER, STEVEN J.
<a href="#">11383821</a>	Not Issued	41	05/17/2006	Signal Detector with Calibration Circuit Arrangement	ZIER, STEVEN J.
<a href="#">11467349</a>	Not Issued	41	08/25/2006	CML TO CMOS SIGNAL CONVERTER	ZIER, STEVEN J.
<a href="#">11668137</a>	Not Issued	30	01/29/2007	CMOS DIFFERENTIAL RAIL-TO-RAIL LATCH CIRCUITS	ZIER, STEVEN J.
<a href="#">11769128</a>	Not Issued	30	06/27/2007	TRANSMITTER BANDWIDTH OPTIMIZATION CIRCUIT	ZIER, STEVEN J.
<a href="#">11964894</a>	Not Issued	19	12/27/2007	AVOIDING DEVICE STRESSING	ZIER, STEVEN J.
<a href="#">11982206</a>	Not Issued	20	10/31/2007	Design structure for CMOS differential rail-to-rail latch circuits	ZIER, STEVEN J.
<a href="#">11985963</a>	Not Issued	20	11/19/2007	Structure for transmitter bandwidth optimization circuit	ZIER, STEVEN J.
<a href="#">07026229</a>	<a href="#">4746817</a>	150	03/16/1987	BIFET LOGIC CIRCUIT	ZIER, STEVEN J.
<a href="#">07659404</a>	<a href="#">5166552</a>	150	03/08/1991	MULTI-EMITTER BICMOS LOGIC CIRCUIT FAMILY WITH	ZIER, STEVEN J.

				SUPERIOR PERFORMANCE	
09761526	6528777	150	01/16/2001	OPTICAL POWER METER DERIVED FROM COMMON- MODE VOLTAGE OF OPTICAL TRANSIMPEDANCE AMPLIFIER	ZIER, STEVEN JOHN

Inventor Search Completed: No Records to Display.

Search Another: Inventor    
ZIER STEVEN

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)